Notice of Allowability	Application No.	Applicant(s)	
	10/517,578	MOHINDRA, NARESH KUMAR	
	Examiner	Art Unit	
	Fenn C. Mathew	3764	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS	ve
1. X This communication is responsive to <u>06/15/2006</u> .			
2. X The allowed claim(s) is/are <u>1-9</u> .			
3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	e been received. e been received in Application No cuments have been received in this r of this communication to file a reply of	national stage application from the complying with the requirements	
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☑ Examiner's Amendn	e	

PRIMARY EXAMINER

Application/Control Number: 10/517,578 Page 2

Art Unit: 3764

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- In claim 1, line 2, delete the word 'which', and insert the phrase –wherein the-therefore.
- In claim 5, line 1, delete the word 'which', and insert the phrase –wherein the-therefore.
- In claim 6, line 1, delete the phrase 'claim 6' and insert the phrase –claim 5- therefore.


The following amendments were made to overcome minor informalities and to correct minor grammatical errors.

Allowable Subject Matter

2. Claims 1-9 are allowed. The following is an examiner's statement of reasons for allowance: Prior art mouth exercisers are old and well known. Ueno (U.S. 5,299,936)

Application/Control Number: 10/517,578


Art Unit: 3764



teaches a mouthpiece including a first layer and

a second layer, the first layer and second layer having differing softening points, and the second layer further having protrusions extending therefrom. Ueno fails to teach the second layer substantially covering the first layer.

3. Sullivan et al. (U.S. 5,584,687)




mouthpiece including protrusions formed by the teeth during a molding step. Sullivan fails to teach the bi-layer having different softening points.

Application/Control Number: 10/517,578

Art Unit: 3764

The prior art of record fails to teach the device as pictured



including a first layer having a softening point

between 35 and 100 degrees Celsius, and a second layer substantially covering the first layer having a softening point above 100 degrees Celsius, the second layer including at least one protrusion extending 2-20 mm above the surface of the bite plate formed on the second layer in order to allow a user to perform biting exercises to reduce facial aging.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fenn C. Mathew whose telephone number is (571) 272-4978. The examiner can normally be reached on Monday - Friday 9:00am - 5:30pm.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

gc In

August 21, 2006

MICHAEL A. BROWN
PRIMARY EXAMINER

Mihul a. Br